

**ERRATUM in** DIJKSTRA, K.-D.B. 2005. A review of continental Afrotropical *Ceriagrion* (Odonata: Coenagrionidae). *J. Afrotrop. Zool.* 2: 3-14.

**Taxa that were accidentally omitted from Table 1, synonymic list of *Ceriagrion* species of continental tropical Africa**

<i>C. bakeri</i> Fraser, 1941	<i>Ceriagrion bakeri</i> Fraser, 1941a: 62 [type: Gulu District, Uganda; BMNH]. <i>Ceriagrion villiersi</i> Fraser, 1951: 1086 [type: Tohoun, Togo; MNHN]; junior synonym (Legrand 1982: 9).
<i>C. kordofanicum</i> Ris, 1924	<i>Ceriagrion kordofanicum</i> Ris, 1924: 279 [type: Tonga, Sudan; NMW]. <i>Ceriagrion rubricudum</i> Fraser, in litteris [type: Kisumu, Kenya; BMNH]. – Pinhey (1962: 120); nomen nudum.
<i>C. rubellocerinum</i> Fraser, 1947	<i>Ceriagrion rubellocerinum</i> Fraser, 1947: 28 [type: Côte d'Ivoire; MNHN]. <i>Ceriagrion varians</i> nec (Martin, 1908) – Pinhey (1966: 288)
<i>C. sakejii</i> Pinhey, 1963	<i>Ceriagrion sakejii</i> Pinhey, 1963: 21 [type: Mwinilunga, Zambia; NMBZ].
<i>C. whellani</i> Longfield, 1952	<i>Ceriagrion corallinum</i> nec Champion, 1914 – Fraser (1941a: 65); Fraser (1941b: 38). <i>Ceriagrion whellani</i> Longfield, 1952: 42 [type: Melsetter (= Chimanimani), Zimbabwe; BMNH].

THE COMPLETE LIST:

**Table 1. Synonymic list of *Ceriagrion* species of continental tropical Africa**

<i>C. annulatum</i> Fraser, 1955	<i>Ceriagrion annulatum</i> Fraser, 1955: 35 [type: Elisabethville (= Lubumbashi), Congo-Kinshasa; MRAC]. <i>Argiocnemis umbargae</i> Pinhey, 1970: 1 [type: Mbalmayo, Cameroon; NMBZ]; new synonymy.
<i>C. bakeri</i> Fraser, 1941	<i>Ceriagrion bakeri</i> Fraser, 1941a: 62 [type: Gulu District, Uganda; BMNH]. <i>Ceriagrion villiersi</i> Fraser, 1951: 1086 [type: Tohoun, Togo; MNHN]; junior synonym (Legrand 1982: 9).
<i>C. citrinum</i> Champion, 1914	<i>Ceriagrion citrinum</i> Champion, 1914: 278 [type: Lagos, Nigeria; BMNH].
<i>C. corallinum</i> Champion, 1914	<i>Ceriagrion corallinum</i> Champion, 1914: 279 [type: Port Lokko, Sierra Leone; BMNH]. <i>Ceriagrion bidentatum</i> Fraser, 1941a: 64 [type: Budama, Uganda; BMNH]; junior synonym (Legrand 1984: 244).
<i>C. glabrum</i> (Burmeister, 1839)	<i>Agrion rhomboidale</i> Palisot de Beauvois, 1807: 85; nomen nudum. <i>Agrion glabrum</i> Burmeister, 1839: 821 [type: Cape of Good Hope, South Africa, MLUH]. <i>Agrion ferrugineum</i> Rambur, 1842: 280 [type: Madagascar, ISNB]; junior synonym Selys (1869b: 95). <i>Telebasis glabra</i> (Burmeister, 1839) – Selys-Longchamps (1869a: 24). <i>Brachybasis glabra</i> (Burmeister, 1839) – Selys-Longchamps (1869b: 95). <i>Ceriagrion glabrum</i> (Burmeister, 1839) – Selys-Longchamps (1876: 527). <i>Brachybasis rhomboidalis</i> (Palisot de Beauvois, 1807) – Kirby (1890: 187); nomen nudum. <i>Ceriagrion rhomboidale</i> (Palisot de Beauvois, 1807) – Grünberg (1903: 699); nomen nudum. <i>Ceriagrion glabrum longispinum</i> Pinhey, 1963: 18 [type: Ketta Forest, Congo-B: NMBZ].
<i>C. ignitum</i> Champion, 1914	<i>Ceriagrion ignitum</i> Champion, 1914: 281 [type: Aburi, Ghana; BMNH].
<i>C. katamborae</i> Pinhey, 1961	<i>Ceriagrion katamborae</i> Pinhey, 1961: 20 [type: Katambora, Zambia; NMBZ].
<i>C. kordofanicum</i> Ris, 1924	<i>Ceriagrion kordofanicum</i> Ris, 1924: 279 [type: Tonga, Sudan; NMW]. <i>Ceriagrion rubricudum</i> Fraser, in litteris [type: Kisumu, Kenya; BMNH]. – Pinhey (1962: 120); nomen nudum.
<i>C. mourae</i> Pinhey, 1969	<i>Ceriagrion mourae</i> Pinhey, 1969: 3 [type: Mamunge, Mozambique; NMBZ].

- C. rubellocerinum* Fraser, 1947      *Ceriagrion rubellocerinum* Fraser, 1947: 28 [type: Côte d'Ivoire; MNHN].  
*Ceriagrion varians* nec (Martin, 1908) – Pinhey (1966: 288)
- C. sakejii* Pinhey, 1963      *Ceriagrion sakejii* Pinhey, 1963: 21 [type: Mwinilunga, Zambia; NMBZ].
- C. suave* Ris, 1921      *Ceriagrion suave* Ris, 1921: 316 [type: Kapiri, Congo-Kinshasa; MRAC].  
? *Ceriagrion moorei* Longfield, 1952: 44 [type: Yapi, Ghana; BMNH]; suspected synonymy.  
? *Ceriagrion hamoni* Fraser, 1955: 237 [type: Yabasso, Burkina Faso; MNHN]; suspected synonymy.
- C. tricrenaticeps* Legrand, 1984      *Ceriagrion tricrenaticeps* Legrand, 1984: 242 [type: Makokou, Gabon; MNHN].
- C. varians* (Martin, 1908)      *Aciagrion varians* Martin, 1908: 666 [type: Guinea?; MNHN].  
*Ceriagrion platystigma* Fraser, 1941a: 63 [type: NW shores of Lake Victoria, Uganda; BMNH]; new synonymy.  
*Ceriagrion sanguinostigma* Fraser, 1955: 33 [type: Bambesa, Congo-Kinshasa; MRAC]; new synonymy.  
*Nepocnemis platystyla* Fraser, in litteris [type: Eala, Congo-Kinshasa; MRAC]. – Pinhey (1962: 288); nomen nudum.  
*Aciagrion varians rubrostigma* Martin, in litteris [type: Portuguese Guinea; MNHN]. – Pinhey (1966: 288); nomen nudum.  
*Ceriagrion platystictoides* Fraser, in litteris [Entebbe, Uganda; BMNH]; nomen nudum.
- C. whellani* Longfield, 1952      *Ceriagrion corallinum* nec Champion, 1914 – Fraser (1941a: 65); Fraser (1941b: 38).  
*Ceriagrion whellani* Longfield, 1952: 42 [type: Melsetter (= Chimanimani), Zimbabwe; BMNH].
-